





Robert Greene Sterne Edward J. Kessler Jorge A. Goldstein David K.S. Cornwell Robert W. Esmond Tracy-Gene G. Durkin Michael B. Ray Robert E. Sokohl Eric K. Steffe Michael Q. Lee Steven R. Ludwig John M. Covert Linda E. Alcorn Robert C. Millonig Donald J. Featherstone Timothy J. Shea, Jr Michael V. Messinger Judith U. Kim Patrick E. Garrett Jeffrey T. Helvey Heidi L. Kraus Eldora L. Ellison Thomas C. Fiala Albert L. Ferro Donald R. Banowit Peter A. Jackman Jeffrey S. Weaver Kendrick P. Patterson Vincent L. Capuano Brian J. Del Buono Virgil Lee Beaston Theodore A. Wood Elizabeth J. Haanes Joseph S. Ostroff Frank R. Cottingham Rae Lynn P. Guest Daniel A. Klein

November 10, 2005

Jason D. Eisenberg Michael D. Spedha Andrea J. Kamage Tracy L. Muller Jon E. Wright LuAnne M. DeSantis Ann E. Summerfield Aric W. Ledford Helene C. Carlson Cynthia M. Bouchez Timothy A. Doyle Gaby L. Longsworth Lori A. Gordon Nicole D. Dretar Ted J. Ebersole Laura A. Vogel Michael J. Mancuso Bryan S. Wade Aaron L. Schwartz Shannon A. Carroll* Wesley W. Jones* Matthew E. Kelley* Michelle K. Holoubek* Marsha A. Rose* Registered Patent Age Karen R. Markowicz

Registered Patent Agents*
Karen R. Markowicz
Nancy J. Leith
Matthew J. Dowd
Katrina Yujian Pei Quach
Bryan L. Sekton
Robert A. Schwartzman
Teresa A. Colella
Victoria S. Rutherford
Simon J. Elliott
Julie A. Heider
Mita Mukherjee

Examiner: Timothy W. Heitbrink

Attn: Mail Stop Issue Fee

Scott M. Woodhouse Christopher J. Walsh Liliana Di Nola-Baron Peter A. Socarras Jeffrey Mills

Of Counsel
Kenneth C. Bass III
Marvin C. Guthrie
*Admitted only in Maryland
* Admitted only in Virginia

*Admitted only in Man *Admitted only in Virgi •Practice Limited to Federal Agencies

WRITER'S DIRECT NUMBER: (202) 772-8783 INTERNET ADDRESS: RGUEST@SKGF.COM

Art Unit 1722

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Re:

U.S. Utility Patent Application

Application No. 10/629,699; Filed: July 30, 2003 For: Valve Pin Guidance and Alignment System

for an Injection Molding Apparatus

Inventors:

FISCHER et al.

Our Ref:

2107.1680001/LEA/RPG

Sir:

Transmitted herewith for appropriate action are the following documents:

- 1. Amendment Under 37 C.F.R. § 1.312; and
- 2. Return postcard.

It is respectfully requested that the attached postcard be stamped with the date of filing of these documents, and that it be returned to our courier. In the event that extensions of time are necessary to prevent abandonment of this patent application, then such extensions of time are hereby petitioned.

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

Rae Lynn P. Guest

Attorney for Applicants Registration No. 53,482

LEA/RPG/dbj Enclosures

463832 1.DOC

Sterne, Kessler, Goldstein & Fox PLL.C.: 1100 New York Avenue, NW: Washington, DC 20005: 202.371.2600 f 202.371.2540: www.skqf.com

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of:

Fischer et al.

Appl. No.:

10/629,699

Filed:

July 30, 2003

For:

Valve Pin Guidance and Alignment System for an Injection Molding

Apparatus

Confirmation No.:

Art Unit:

5350 1722

Examiner:

Heitbrink, Timothy W.

Atty. Docket: 2107.1680001/LEA/RPG

Amendment Under 37 C.F.R. § 1.312

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 Mail Stop Issue Fee

Sir:

Submitted herein is an Amendment Under 37 C.F.R. § 1.312. As payment of the issue fee has not yet been made, Applicants respectfully submit that filing under 37 C.F.R. § 1.312 is proper. (M.P.E.P. § 714.16.)

It is believed that extensions of time are not required beyond those that may otherwise be provided for in documents accompanying this Amendment. However, if additional extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned under 37 C.F.R. § 1.136(a), and any fees required therefore are hereby authorized to be charged to our Deposit Account No. 19-0036.

This Amendment is provided in the following format:

- (A) Each section begins on a separate sheet;
- (B) Starting on a separate sheet, amendments to the specification by presenting replacement paragraphs marked up to show changes made;
- (C) Starting on a separate sheet, a complete listing of all of the claims:
 - in ascending order;

- with status identifiers; and
- with markings in the currently amended claims;
- (D) Starting on a separate sheet, the Remarks.